



Thermal Insulation Products - Welded Mesh

Welded Mesh

We supply an extensive range of Welded Mesh in a wide range of sizes.

Available in Stainless Steel and Galvanized.

An electronic fusion of two wires together to create a grid is called a Welded Wire Mesh. Mechanical Strength is a significant aspect associated with Welded Wire Mesh. These are available in stainless steel (SS304, SS316), galvanized steel, and can be cut to size or purchased by length in rolls and sheets.

Various applications require varied types, sizes, and designs of Wire Mesh. Sealumet provide all standard and non-standard types of wire mesh as per the requirement of our client. These include Square Mesh, Hexagonal Mesh, Hot-Dipped Galvanized, Electro Galvanized, PVC Coated Mesh etc.



0.80mm	21 gauge
1.00mm	19 gauge
1.60mm	16 gauge
2.00mm	14 gauge
2.30mm	13 gauge
2.50mm	12 gauge
3.15mm	10 gauge
4.00mm	8 gauge
5.00mm	6 gauge
5.40mm	5 gauge



Epic Maintenance Limited

Sealumet (Australia) Pty Limited
 Address: PO Box 2218,
 Warwick, Perth, WA-6065, Australia.
 Unit 2, Langar Way, Landsdale,
 Perth, WA 6065, Australia
 Tel: +618 6201 6153
 Fax: +618 9303 4560
www.sealumet.com

Sealumet Europe Limited
 Address: Unit A2 Lymgne
 Distribution Park, Otterpool
 Lane,
 Hythe, Kent CT21 4LR
 Tel: +44 (0) 845 2426241
www.sealumet.com

Sealumet Singapore Pte Ltd
 Address: 2, Pioneer Sector 1,
 Singapore 628414
 Tel: +65 6265 6228
www.sealumet.com
www.cherrit.com.sg

Sealumet Middle East FZE
 Address: P O Box 53535
 Hamriya Free Zone,
 Sharjah, United Arab
 Emirates
 Tel: +971 6 557 5763
www.sealumet.com

Cherrit International (Far East) Pte Ltd
 Address: 2, Pioneer Sector 1,
 Singapore 628414
 Tel: +65 6265 6228
www.sealumet.com
www.cherrit.com.sg

DISCLAIMER

These data sheets are based on specifications, data and test results at time of publication. No guarantee as to completeness, accuracy or results is either expressed or implied. The suitability for an intended use is the responsibility of the user. As choice of material, method of application and site conditions are beyond our control we accept no liability for direct or consequential damages. Any material proved to be defective within the published shelf life* will be replaced. *From date of supply. Revision 1.0; 072018